



REVISIONS: REVISION FOR STAT COMMENTS 08/19/14 - 08/22/14

STORAGE BUILDING SITE PLAN

FOR

BLACK MARBLE REALTY TRUST

TAX MAP 216 LOT 24

FARMINGTON ROAD/ROUTE 11

& CRANE DRIVE

ROCHESTER, N.H.

AUGUST 2014

RECEIVED

SEP 22 2014

Planning Dept.

*Corrected 9/22/14
Submitted 10/8
Staff Plans*

SHEET INDEX

C-1	COVER	AS SHOWN
C-2	SITE PLAN	1" = 30'
C-3	CONSTRUCTION DETAILS	AS SHOWN

BLACK MARBLE REALTY TRUST
C/O SEACOAST MOTORCYCLES, INC.
P.O. BOX 1740


NO. HAMPTON, NH 03862-1740
(603) 330-3330

CIVIL ENGINEERS

NORWAY PLAINS ASSOCIATES, INC.
2 CONTINENTAL BOULEVARD
ROCHESTER, NEW HAMPSHIRE 03867
(603) 335-3948

FILE NO. 128 DRAWN BY: RBL
PLAN NO. C-2677 CHECK BY: RBL
P.E. NO. ### SCRD NO: D-###
DWG. NO. 13079/SP-1

NORWAY PLAINS ASSOCIATES, INC. SHEET COVER



LEGEND

- PROPERTY LINE
- EXISTING TREE LINE
- EXISTING OVERHEAD WIRES
- EXISTING UNDERGROUND WIRES
- EXISTING WATER MAIN
- EXISTING SEWER MAIN
- EXISTING CHAIN LINK FENCE
- EXISTING DRAIN LINE
- EXISTING CONTAINMENT
- EXISTING WATER VALVE
- EXISTING UTILITY POLE
- EXISTING DRAIN MAIN HOLE
- EXISTING SEWER MAIN HOLE
- EXISTING CATCH BASIN
- EXISTING LIGHT FIXTURES
- PROPOSED GAS LINE
- PROPOSED UNDERGROUND ELECTRIC
- PROPOSED CONTAINMENT
- PROPOSED STONE CHECK DAM

FILE NO. 116 DRAWN BY: AHN/RRL
PLAN NO. C-2716 CHK'D BY: RRL
P.B. NO. 1111 SCRD NO. D-111
DWC NO. 14155/SP-1

FARMINGTON ROAD - NH ROUTE 11

CRANE DRIVE

TAX MAP 216, LOT 20

TAX MAP 216, LOT 23

TAX MAP 216, LOT 26

TAX MAP 216, LOT 25

TAX MAP 216, LOT 8

TAX MAP 216, LOT 7

TAX MAP 216, LOT 6



REVISIONS:
REVISIONS FOR STATE CHANGING 08/19/14 - 08/23/14

- THE PURPOSE OF THIS PLAN IS TO LOCATE THE ADJUNCTION OF A FINE-STRONG, 1540 SF, STORAGE BUILDING.
- OWNERS OF RECORD: BLACK MARBLE REALTY TRUST, INC. 500 SOUTH BROADWAY, SUITE 1100, NEW HAVEN, CT 06510-1100. P.O. BOX 1100, NEW HAVEN, CT 06510-1100. SCD NO. 0114, P.L. 12.
- TOTAL PARCEL AREA: MAP 216, LOT 24 4.02 ACRES
- PARCEL IS NOT LOCATED WITHIN ZONE A (URBAN FLOOD) AS SHOWN ON THE FLOOD HAZARD MAP, COUNTY OF ROCKESHER, NH.
- THE LOT IS BOUNDED BY THE MAINLINE WATER & SEWER SYSTEM.
- ADJUNCTION, HORIZONTAL AND VERTICAL, DATES - CITY OF ROCKESHER, NH.
- SOIL TYPES ARE NOT SHOWN, REQUESTED CONVEYANCE SPACE HAS - PROPOSED LOT SIZE, 3 TO 5 PERCENT ADJUST.
- THE SUBJECT PROPERTY IS IN THE ADJUNCTION PROTECTION DISTRICT.
- FOR MORE INFORMATION ABOUT THIS SITE, P.L.M., CONTACT THE CITY OF ROCKESHER PLANNING DEPARTMENT, 31 WINDYBELL ST., ROCKESHER, NH 03867. (603) 335-1136.

REFERENCE PLAN:
"SUBDIVISION OF LAND IN ROCKESHER, NH - ROCKESHER PARK" DATED 3/15/75 BY KUBALL CHASE CO., INC. RCD. © SCRD. PLAN NO. 27-59

- MAP-LOT ABUTTER
- 216-22-24 BLACK MARBLE REALTY TRUST & SEACAST MOTORCYCLES INC.; P.O. BOX 1740, NEW HAVEN, CT 06510-1740. SCD NO. 0114, P.L. 12.
 - 216-6 CASCADIA RE HOLDINGS LLC; P.O. BOX 1598, ROCKESHER, NH 03866-1598. SCD NO. 0114, P.L. 12.
 - 216-7 PLOAK'S INVESTMENT PROPERTIES LLC; 80 FARMINGTON RD # 400; ROCKESHER, NH 03867-4327
 - 216-8 NEWPORT PARTNERS LLC; P.O. BOX 1898, ROCKESHER, NH 03866-1898
 - 216-20 FLORENCE REALTY ACQUISITION LLC; 47 FARMINGTON RD STE 1; ROCKESHER, NH 03867
 - 216-25 DONALD & DONNE 33 TOY C/D TOYS MANUFACTURED HOUSING, 15 MASHOBA DRIVE, ROCKESHER, NH 03867

SITE REVIEW APPROVAL

WHETHER OR NOT OTHERWISE EXPRESSLY RECITED ON THIS SITE REVIEW PLAN, THE SITE REVIEW APPROVAL, GRANTED IS CONDITIONED ON FAITHFUL AND DILIGENT REPRESENTATIONS MADE REGARDING SUCH MATTERS AS USE, NUMBER OF EMPLOYEES, DRAINAGE, CONSTRUCTION, ETC. AS WELL AS ALL OTHER TERMS, CONDITIONS, PROVISIONS, REQUIREMENTS AND COVENANTS OF THE SITE REVIEW PLAN. THE CITY OF ROCKESHER, NH, HAS REVIEWED THE SITE REVIEW PLAN AND HAS APPROVED ANY VARIATION FROM THE PROPOSAL AS APPROVED MAY ALSO REQUIRE THE SUBMISSION AND APPROVAL OF A NEW SITE REVIEW APPLICATION.

SITE PLAN
FARMINGTON ROAD/
ROUTE 11
& CRANE DRIVE
ROCKESHER, NH
STRAFFORD COUNTY
FOR
BLACK MARBLE
REALTY TRUST
AUGUST 2014

REVISION DATE
08/25/14

SHEET C-1

Called 9/22/14

PERMANENT VEGETATION:

3. SEEDS OF THE TESTED PLOT AND SEEDS OF CONTROL PLOTS SHOULD BE PLANTED IN THE SAME MANNER AND AT THE SAME TIME IN SELECTION PLOTS, DIVISIONS, AND SEEDLOT PLOTS.
4. GRAIN AS REQUIRED FOR THE ACCESS OF EQUIPMENT FOR SEEDING PLOTIZATION, SEEDING, AND/OR APPLICATION, OR SUCH EQUIPMENT.
5. RAINFALL SHOULD BE RECORDED FROM THE SEEDLOT AREA.
6. ON PLANTS 410 OR THEREAFTER, THE FINAL PREPARATION SHOULD INCLUDE THE SEEDLOT AREA AND THE SEEDLOT AREA TO THE DIRECTION OF THE SEEDLOT TO CATCH SEED AND RECORD RAINFALL.

PERMANENT VEGETATION SEEDING RECOMMENDATIONS

USE	WATERSHED	SPRINGS	URS./ACRE	URS./1,000-SQ
FIELD CROPS AND PASTURE AND DEVELOP.	A	TALL TREES ORCHARD RED TOTAL	20 20 42	0.45 0.45 0.90
HAYFIELDS, BURNING SUGARCANE AND OTHERS CORNED BARN CLOVER BARN	A	TALL TREES ORCHARD RED TOTAL	20 20 42	0.45 0.45 0.90
PLANT, FISH AND BIRDS AND LOW WATER UNIVERSITY SITES	A	TALL TREES ORCHARD RED TOTAL	20 20 42	0.45 0.45 0.90
RAV. AREAS AND AERIAL RESULTS (700- 5000 YRS)	F	ORCHARD RED NONWATER TOTAL	50 100	1.15 1.15 2.30

TEMPORARY VEGETATION SEEDING RECOMMENDATIONS

[illegible]

TEMPORARY VEGETATION:

- [illegible]

SOIL STOCKPILE PRACTICES:

1. LOCATE AND DISINFECT A MINIMUM OF 50-171, 174 AND 175, 176 AND 177, 178 AND 179, 180 AND 181, 182 AND 183, 184 AND 185, 186 AND 187, 188 AND 189, 190 AND 191, 192 AND 193, 194 AND 195, 196 AND 197, 198 AND 199, 200 AND 201, 202 AND 203, 204 AND 205, 206 AND 207, 208 AND 209, 210 AND 211, 212 AND 213, 214 AND 215, 216 AND 217, 218 AND 219, 220 AND 221, 222 AND 223, 224 AND 225, 226 AND 227, 228 AND 229, 230 AND 231, 232 AND 233, 234 AND 235, 236 AND 237, 238 AND 239, 240 AND 241, 242 AND 243, 244 AND 245, 246 AND 247, 248 AND 249, 250 AND 251, 252 AND 253, 254 AND 255, 256 AND 257, 258 AND 259, 260 AND 261, 262 AND 263, 264 AND 265, 266 AND 267, 268 AND 269, 270 AND 271, 272 AND 273, 274 AND 275, 276 AND 277, 278 AND 279, 280 AND 281, 282 AND 283, 284 AND 285, 286 AND 287, 288 AND 289, 290 AND 291, 292 AND 293, 294 AND 295, 296 AND 297, 298 AND 299, 300 AND 301, 302 AND 303, 304 AND 305, 306 AND 307, 308 AND 309, 310 AND 311, 312 AND 313, 314 AND 315, 316 AND 317, 318 AND 319, 320 AND 321, 322 AND 323, 324 AND 325, 326 AND 327, 328 AND 329, 330 AND 331, 332 AND 333, 334 AND 335, 336 AND 337, 338 AND 339, 340 AND 341, 342 AND 343, 344 AND 345, 346 AND 347, 348 AND 349, 350 AND 351, 352 AND 353, 354 AND 355, 356 AND 357, 358 AND 359, 360 AND 361, 362 AND 363, 364 AND 365, 366 AND 367, 368 AND 369, 370 AND 371, 372 AND 373, 374 AND 375, 376 AND 377, 378 AND 379, 380 AND 381, 382 AND 383, 384 AND 385, 386 AND 387, 388 AND 389, 390 AND 391, 392 AND 393, 394 AND 395, 396 AND 397, 398 AND 399, 400 AND 401, 402 AND 403, 404 AND 405, 406 AND 407, 408 AND 409, 410 AND 411, 412 AND 413, 414 AND 415, 416 AND 417, 418 AND 419, 420 AND 421, 422 AND 423, 424 AND 425, 426 AND 427, 428 AND 429, 430 AND 431, 432 AND 433, 434 AND 435, 436 AND 437, 438 AND 439, 440 AND 441, 442 AND 443, 444 AND 445, 446 AND 447, 448 AND 449, 450 AND 451, 452 AND 453, 454 AND 455, 456 AND 457, 458 AND 459, 460 AND 461, 462 AND 463, 464 AND 465, 466 AND 467, 468 AND 469, 470 AND 471, 472 AND 473, 474 AND 475, 476 AND 477, 478 AND 479, 480 AND 481, 482 AND 483, 484 AND 485, 486 AND 487, 488 AND 489, 490 AND 491, 492 AND 493, 494 AND 495, 496 AND 497, 498 AND 499, 500 AND 501, 502 AND 503, 504 AND 505, 506 AND 507, 508 AND 509, 510 AND 511, 512 AND 513, 514 AND 515, 516 AND 517, 518 AND 519, 520 AND 521, 522 AND 523, 524 AND 525, 526 AND 527, 528 AND 529, 530 AND 531, 532 AND 533, 534 AND 535, 536 AND 537, 538 AND 539, 540 AND 541, 542 AND 543, 544 AND 545, 546 AND 547, 548 AND 549, 550 AND 551, 552 AND 553, 554 AND 555, 556 AND 557, 558 AND 559, 560 AND 561, 562 AND 563, 564 AND 565, 566 AND 567, 568 AND 569, 570 AND 571, 572 AND 573, 574 AND 575, 576 AND 577, 578 AND 579, 580 AND 581, 582 AND 583, 584 AND 585, 586 AND 587, 588 AND 589, 590 AND 591, 592 AND 593, 594 AND 595, 596 AND 597, 598 AND 599, 600 AND 601, 602 AND 603, 604 AND 605, 606 AND 607, 608 AND 609, 610 AND 611, 612 AND 613, 614 AND 615, 616 AND 617, 618 AND 619, 620 AND 621, 622 AND 623, 624 AND 625, 626 AND 627, 628 AND 629, 630 AND 631, 632 AND 633, 634 AND 635, 636 AND 637, 638 AND 639, 640 AND 641, 642 AND 643, 644 AND 645, 646 AND 647, 648 AND 649, 650 AND 651, 652 AND 653, 654 AND 655, 656 AND 657, 658 AND 659, 660 AND 661, 662 AND 663, 664 AND 665, 666 AND 667, 668 AND 669, 670 AND 671, 672 AND 673, 674 AND 675, 676 AND 677, 678 AND 679, 680 AND 681, 682 AND 683, 684 AND 685, 686 AND 687, 688 AND 689, 690 AND 691, 692 AND 693, 694 AND 695, 696 AND 697, 698 AND 699, 700 AND 701, 702 AND 703, 704 AND 705, 706 AND 707, 708 AND 709, 710 AND 711, 712 AND 713, 714 AND 715, 716 AND 717, 718 AND 719, 720 AND 721, 722 AND 723, 724 AND 725, 726 AND 727, 728 AND 729, 730 AND 731, 732 AND 733, 734 AND 735, 736 AND 737, 738 AND 739, 740 AND 741, 742 AND 743, 744 AND 745, 746 AND 747, 748 AND 749, 750 AND 751, 752 AND 753, 754 AND 755, 756 AND 757, 758 AND 759, 760 AND 761, 762 AND 763, 764 AND 765, 766 AND 767, 768 AND 769, 770 AND 771, 772 AND 773, 774 AND 775, 776 AND 777, 778 AND 779, 780 AND 781, 782 AND 783, 784 AND 785, 786 AND 787, 788 AND 789, 790 AND 791, 792 AND 793, 794 AND 795, 796 AND 797, 798 AND 799, 800 AND 801, 802 AND 803, 804 AND 805, 806 AND 807, 808 AND 809, 810 AND 811, 812 AND 813, 814 AND 815, 816 AND 817, 818 AND 819, 820 AND 821, 822 AND 823, 824 AND 825, 826 AND 827, 828 AND 829, 830 AND 831, 832 AND 833, 834 AND 835, 836 AND 837, 838 AND 839, 840 AND 841, 842 AND 843, 844 AND 845, 846 AND 847, 848 AND 849, 850 AND 851, 852 AND 853, 854 AND 855, 856 AND 857, 858 AND 859, 860 AND 861, 862 AND 863, 864 AND 865, 866 AND 867, 868 AND 869, 870 AND 871, 872 AND 873, 874 AND 875, 876 AND 877, 878 AND 879, 880 AND 881, 882 AND 883, 884 AND 885, 886 AND 887, 888 AND 889, 890 AND 891, 892 AND 893, 894 AND 895, 896 AND 897, 898 AND 899, 900 AND 901, 902 AND 903, 904 AND 905, 906 AND 907, 908 AND 909, 910 AND 911, 912 AND 913, 914 AND 915, 916 AND 917, 918 AND 919, 920 AND 921, 922 AND 923, 924 AND 925, 926 AND 927, 928 AND 929, 930 AND 931, 932 AND 933, 934 AND 935, 936 AND 937, 938 AND 939, 940 AND 941, 942 AND 943, 944 AND 945, 946 AND 947, 948 AND 949, 950 AND 951, 952 AND 953, 954 AND 955, 956 AND 957, 958 AND 959, 960 AND 961, 962 AND 963, 964 AND 965, 966 AND 967, 968 AND 969, 970 AND 971, 972 AND 973, 974 AND 975, 976 AND 977, 978 AND 979, 980 AND 981, 982 AND 983, 984 AND 985, 986 AND 987,

WINTER STABILIZATION & CONSTRUCTION PRACTICES:

- [illegible]

DUST CONTROL PRACTICES:

1. APPLY DUST CONTROL MEASURES AS NECESSARY TO MAINTAIN CONTROL OF DUST ON SITE.
2. WATER APPLICATIONS:
 - A) WATERED EXPOSED SOIL SURFACES PERIODICALLY WITH ADEQUATE WATER TO CONTROL DUST.
 - B) AVOID EXCESSIVE APPLICATION OF WATER THAT WOULD RESULT IN EXCESSIVE EROSION AND SUBSEQUENT DEPOSITION IN NATURAL WATERSHEDS.
3. SLOPE APPLICATIONS:
 - A) COVER SURFACE WITH CRUSHED OR COARSE GRAVEL.

CONSTRUCTION PHASING:

- [illegible]

**PROJECT SPECIFIC
CONSTRUCTION PHASING:**

- [illegible]

EROSION CONTROL

FARMINGTON ROAD/
ROUTE 11
& CRANE DRIVE
ROCHESTER, NH
STRAFFORD COUNTY

BLACK MARBLE
FOR REALTY TRUST
AUGUST 2014

AUGUST 2014

REVISION DATE

SHEET C-2

FILE NO.	116	DRAWN BY:AHN/RRL
PLAN NO.	C-2716	CHK'D BY: RRL
F.B. NO.	###	SCRD NO: D-###
DWG. NO.	14135/SP-1	

**STONE CHECK DAM
INSTALLATION DETAIL,
NOT TO SCALE**

ASSOCIATES,

H.Z.U.


SHEET C-2



PAVEMENT SECTION THICKNESS TABLE

MATERIAL	EXISTING PAVED AREAS	NEW PAVED AREAS
A. WEARING COURSE, (HWOOT 403.11)	WATCH EXISTING	WATCH EXISTING
B. BINDER COURSE, (HWOOT 403.11)	WATCH EXISTING	WATCH EXISTING
C. CRUSHED GRAVEL, (HWOOT 304.3)	EXISTING	EXISTING
D. BANK RUN GRAVEL, (HWOOT 304.3)	EXISTING	EXISTING

- PAVEMENT CROSS-SECTION NOTES:
1. IN AREAS OF EXISTING PAVEMENT, THE FULL SECTION ABOVE DOES NOT NEED TO BE CONSTRUCTED PRIOR TO RE-PAVING. THE SECTION ONLY NEEDS TO BE CONSTRUCTED TO MEET THE ABOVE CROSS-SECTION WIDTH REQUIREMENT.
 2. BANK RUN GRAVEL SHALL BE INSTALLED IN MAXIMUM 8' PCH LFTS WITH A MINIMUM OF 50% MINIMUM PROPORTION DENSITY TO A DEPTH OF 12' INCHES.
 3. CRUSHED GRAVEL SHALL BE INSTALLED IN MAXIMUM 4' PCH LFTS AND BE COMPACTED TO 95% MINIMUM PROPORTION DENSITY TO FULL DEPTH.



REPORT ITEM 304.2 (GRAVEL) GRAVEL REQUIREMENTS, SPECIFICATIONS, AND TOLERANCES AT REPORT

SIZE DESIGNATION	WEARING COURSE	BINDER COURSE	CRUSHED GRAVEL	BANK RUN GRAVEL
3" MIN	3" MIN	3" MIN	3" MIN	3" MIN
NO. 200	0-12%	0-12%	0-12%	0-12%

GRAVEL SHALL CONTAIN NO PARTICLES OF ROCK EXCEEDING 5% INCHES IN ANY DIMENSION.


CRUSHED GRAVEL SHALL CONTAIN NO PARTICLES OF ROCK EXCEEDING THREE INCHES IN ANY DIMENSION.

REPORT ITEM 304.3 (CRUSHED GRAVEL) GRAVEL REQUIREMENTS, SPECIFICATIONS, AND TOLERANCES AT REPORT

SIZE DESIGNATION	WEARING COURSE	BINDER COURSE	CRUSHED GRAVEL	BANK RUN GRAVEL
3" MIN	3" MIN	3" MIN	3" MIN	3" MIN
NO. 200	0-12%	0-12%	0-12%	0-12%

PAVEMENT CROSS-SECTION

NOT TO SCALE




- NOTES:
1. ALL NON-METALLIC CONDUIT AND FITTINGS SHALL BE ELECTRICAL GRADE, SCHEDULE 40 PNC, AND SHALL CONFORM TO THE APPLICABLE SECTION OF MHA 102-1000 AND BE 1/2" LUSTED. ONLY GALV-CLAD CONDUIT WILL BE ACCEPTED. ANY CONDUIT SHALL BE INSTALLED IN A TRENCH DEEPER THAN 18" AND BE PROTECTED BY A 12" MIN. THICK CONCRETE SLAB. ALL PVC JOINTS MUST BE GASKETED. STEEL FITTINGS SHALL BE SEaled WITH COMPOUND.
 2. ALL 90 DEGREE SWEDGES WILL BE MADE USING RIBBED GALV-CLAD STEEL WITH A MINIMUM WIDTH OF 36 INCHES FOR PRIMARY DRAINAGE.
 3. A 10-FOOT HORIZONTAL SECTION OF RIBBED GALV-CLAD STEEL CONDUIT WILL BE REQUIRED AT EACH SWEDGE UNLESS IN THE EVENT OF A SWEDGE BEING MADE IN A TRENCH DEEPER THAN 18" AND BE PROTECTED BY A 12" MIN. THICK CONCRETE SLAB.
 4. THE CONDUIT SHALL BE INSTALLED IN A TRENCH DEEPER THAN 18" AND BE PROTECTED BY A 12" MIN. THICK CONCRETE SLAB.
 5. BACLOTT SHALL BE MADE WITH EXHAUSTED MATERIAL OR COMPAK-SEAL UNLESS MATERIAL IS EXHAUSTED UNLESS BY PNC.
 6. BACLOTT SHALL BE MADE WITH EXHAUSTED MATERIAL OR COMPAK-SEAL UNLESS MATERIAL IS EXHAUSTED UNLESS BY PNC.
 7. A SURFACE FULL STRENGTH CURB OF 200 POUNDS OF FULL STRENGTH SHALL BE INSTALLED IN THE CONDUIT BEFORE PNC IS PLACED. THE CURB SHALL BE 18" HIGH AND 12" WIDE. THE CURB SHALL BE INSTALLED IN THE CONDUIT BEFORE PNC IS PLACED.
 8. ROUTING OF THE CONDUIT AND INSPECTION PRIOR TO BACLOTT WILL BE REQUIRED BY PNC. INSTALLATION OF THE CONDUIT SHALL BE DONE BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL INSTALLATION COSTS.
 9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES AND STRUCTURES.
 10. ALL CONDUIT INSTALLATIONS MUST CONFORM TO THE CURRENT EDITION OF THE NATIONAL ELECTRICAL SAFETY CODE. STATE OF NEW HAMPSHIRE.
 11. CONDUIT MAY BE INSTALLED BY DECAVING AN OPEN TRENCH WITH SIDE SLOPES OF 1:1 WITHIN TO A DEPTH OF 4'-7'. INSTALLATIONS DEEPER THAN 4'-7' REQUIRE THE USE OF A TRENCH BOX.

ELECTRICAL & UTILITY TRENCH INSTALLATION

DETAIL NOT TO SCALE

FILE NO. 116 DRAIN BY: AHN/RRL
PLAN NO. C-2716 CHD D BY: RRL
P.B. NO. 111 SCRD NO: D-111
DWG. NO. 14135/SP-1



SWALE DIMENSION TABLE

LOCATION	8'	4'	2'	1'
NORTHWEST CORNER OF LOT	4'	1.5'	3'	1.5'

VEGETATED TREATMENT SWALE DETAIL

NOT TO SCALE

- MAINTENANCE NOTES:
1. THE SWALE(S) SHALL BE MAINTAINED WITH THE REST OF THE SITE LAWN.
 2. THE SWALE(S) SHALL BE MAINTAINED WITH THE REST OF THE SITE LAWN.
 3. THE SWALE(S) SHALL BE MAINTAINED WITH THE REST OF THE SITE LAWN.



REVISIONS:
REVISIONS FOR STATE COMMENTS 08/19/14 - 08/25/14



CONSTRUCTION DETAILS
FARMINGTON ROAD/
ROUTE 11
& CRANE DRIVE
ROCHESTER, NH
STRAFFORD COUNTY
FOR
BLACK MARBLE
REALTY TRUST
AUGUST 2014

